



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

E-mail : explosives@explosives.gov.in
Phone/Fax No : 0712 -2510248, Fax-2510577

Approval No : A/P/HQ/TN/104/6019 (P512177)

Dated : 30/07/2021

To,

M/s. Pneumatrol limited,
West end Business Park Blackburn Road Oswaldtwistle Lancashire, Lancashire
BB5 4WZ UK
UK

Sub : Approval for Type EP000/d/TB solenoid Assembly under Petroleum Rules, 2002-reg.

Sir(s),

Please refer to your letter No. OIN727131 dated 10/07/2021 on the subject.

There would be no objection to your supplying subject manufactured item/equipment by you conforming to according to EN 60079-0 : 2012/A11 : 2013, EN 60079-1 : 2014, EN 60079-31 : 2014, standards and covered under Certificate No. dted. The above shall be comprising of following approved type of electrical components as described below, the subject manufactured items is suitable for **Zone 1, Zone 2 only**:-

Sr.No	Description (Components Description)	Make	Safety Protection	Agency	Certificate No. & Date
1	Type EP000/d/TB solenoid Assembly	Pneumatrol Limited	Ex db IIC T6... T3 Gb	CML Ex	IECEX CML 17.0147X Date 01/10/2017
2	Type EP000/d/TB solenoid Assembly	Pneumatrol Limited	Ex db IIC T* Gb	CML Ex	CML 15ATEX119X Date 21/01/2016

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the CML Ex Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.

3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-

- (a) Name of the manufacturer
- (b) Name and number by which the equipment is identified.
- (c) Number & date of the test report of the CML Ex applicable to the equipment.
- (d) Equipment reference number of this letter by which use of apparatus is approved.
- (e) Protection level.

4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the CML Ex Test report and is identical with the one tested and certified at CML Ex shall be furnished with each equipment.

5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by CML Ex in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.

6) The After sales service and maintenance of subject equipment shall be looked after by your representative SPARK AUTOMATION, S7. DUAL GARDEN. II FLOOR, MOUNT, Poonamallee High Rd, Porur, Chennai, Tamil Nadu 600116

This approval also covers the permissible variations as approved under the CML Ex test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.

The Approval is Valid upto **31/12/2025**

Yours faithfully,

(K Srinivasa Rao)
Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, South Circle Office, CHENNAI
2. SPARK AUTOMATION,S7. DUAL GARDEN. II FLOOR, MOUNT, Poonamallee High Rd, Porur, Chennai, Tamil Nadu 600116

For Chief Controller of Explosives
Nagpur

(For more information regarding status,fees and other details please visit our website <http://peso.gov.in>)

This is System generated document. Signature is not required.

Disclaimer : This page gives the latest action taken by this organization on your application. This page is made available for the information of concerned applicant/licensee only. All efforts have been made to secure this information. However, PESO will not be responsible for any misuse of the information by unauthorized persons including the hackers.